Contents Volume 20, 1987

The calculation of force on a weakly magnetic particle in a magnetic field
D.F. Bagster (Sydney, N.S.W., Australia) 1
Liberation - volume and mass lockedness profiles derived - theoretical and practical conclusions
T.P. Meloy (Morgantown, W.V., U.S.A.), U. Preti and G. Ferrara (Trieste, Italy) 17
The activation mechanisms of wolframite by Ca^{2+} and Fe^{3+} ions in hydrophobic agglomeration, using sodium oleate as collector
D.d Wei, K. Wej and J. Qiu (Shenyang, P.R. China) 35
Energy-size reduction "laws" revisited
P.C. Kapur (Kanpur, India) and D.W. Fuerstenau (Berkeley, Calif., U.S.A.) 45
Factors affecting the selective flocculation of hydroxypatite from quartz and/or calcite mixtures
J. Rubio (Porto Alegre, Brazil) and A.M. Marabini (Rome, Italy) 59
The surface characteristics and flotation behavior of anglesite and cerussite
M.C. Fuerstenau (Rapid City, S.D., U.S.A.), S.A. Olivas (Mexico, D.F.), R. Herrera-Urbina (Berkeley, Calif., U.S.A.) and K.N. Han (Rapid City, S.D., U.S.A.) 73
A study of the surface oxidation of arsenopyrite using cyclic voltammetry
M.J.V. Beattie and G.W. Poling (Vancouver, B.C., Canada) 87
E_h-pH diagrams for stable and metastable phases in the copper-sulfur-water system
R. Woods (Port Melbourne, Vic., Australia), R.H. Yoon and C.A. Young (Blacksburg, Va., U.S.A.) 109
Modelling the effect of froth depth in flotation
S.M. Feteris (Parkville, Vic., Australia), J.A. Frew and A. Jowett (Clayton, Vic., Australia) 121
Tungsten trioxide reduction-carburization with carbon monoxide-carbon idoxide mixtures: Kinetics and thermodynamics
F.C. Nava Alonso, M.L. Zambrano Morales, A. Uribe Salas and J.E. Bedolla Becerril (Morelia, Michoacan, Mexico) 137
Technical Note
A simple flotation method for rapidly assessing the hydrophobicity of coal particles
M.C. Williams and D.W. Fuerstenau (Berkeley, Calif., U.S.A.) 153
Book Review
The Profitable Small Mine: Prospecting to Operation, by K.S. Stout (Editor) - J. Elbrond . 159

The influence of the structure of reagents on their effectiveness as dispersants for cassiterite suspensions
P. Parsonage and A. Marsden (Stevenage, Herts., Great Britain) 161
Effects of an ultrasonic field on the flotation selectivity of barite from a barite-fluorite-quartz ore
A.St. Ślączka (Gliwice, Poland) 193
Modelling the performance of industrial ball mills using single particle breakage data
S.S. Narayanan (Indooroopilly, Qld., Australia) 211
Silver losses from ammoniacal solutions on complex sulphide and chalcopyrite ammonia leach residues
S. Acharya, S. Anand and R.P. Das (Bhubaneswar, Orissa, India) 229
Relationship between breakage parameters and process variables in ball milling - an industrial case study

S.S. Narayanan (Indooroopilly, Australia), P.J. Lean and D.C. Baker (Broken Hill, N.S.W., Australia) 241
Influence of Fe^{2+} ions of ilmenite on its flotability
Kangnien Zhong (Wuhan, Hubei Prov., The People's Republic of China) and Lin Cui (Beijing, The People's Republic of China) 253
Thermodynamic calculations of sulfide flotation systems, II. Comparisons with electrochemical experiments on the galena–ethyl xanthate system
M.D. Pritzker and R.H. Yoon (Blacksburg, Va., U.S.A.) 267
Low molecular weight polyacrylamide-based polymers as modifiers in phosphate beneficiation
D.R. Nagaraj, A.S. Rothenberg, D.W. Lipp and H.P. Panzer (Stamford, Conn., U.S.A.) . 291
Tangential velocity profile for pseudoplastic power-law fluids in the hydrocyclone – a theoretical derivation
K.R. Upadrashta, V.J. Ketcham and J.D. Miller (Salt Lake City, Utah, U.S.A.) 309